Elbeco Sizing	Information
---------------	-------------

Α	MEN'S LONG SLEEVE SHIRTS											MEN'S TROUSERS				
	14.5	15	15.5	16	16.5	17	17.5	18	18.5	19	20	22	28 29 30 31 32 33 34 35 36 37 38 40 42 44 46 48 50 52 54			
32	•	٠	•	•	•	•	•	•					REGULAR • • • • • • • • • • • • • • • • • • •			
3	•	٠	•	•	•	•	•	•	•	•			TEK3, TEXTROP2, RIPSTOP			
4	•	•	•	•	•	•	•	•	•	•	•		MEN'S TROUSERS			
5 /37		•	•						•			•	28 29 30 31 32 33 34 35 36 37 38 40 42 44 48 50 5			
1212	TEXTF	2002							STICE	СНР			REGULAR • </td			
	WEST					DOTI	101777	Λ, Ι Ι <u>Ι</u>	JIUL	, cm	, נתו נ	,	DUTYMAXX, PRESTIGE, LUXURY, 100% COTTON, WEST COAST,			
В	MEN	'S LO	NG S	LEEV	E SHI	RTS	_	-	_	_	-		J WOMEN'S TROUSERS			
	14.5	15	15.5		16.5	17	17.5	18	18.5	19	20	22	2 4 6 8 10 12 14 16 18 20 22 24			
2/33 4/35	•	•	•	•	•	•	•	•	•	•	•	•				
4/35 6/37	•	•	•	•	•	•	•	•	•	•	•	•	ALL LADIES CHOICE			
	FLORI							-				-	K MEN'S JUMPSUITS			
													34 36 38 40 42 44 46 48 50 52 54 56 58 60 62 6			
C	14/14		15/15.	SHIRT	5 6/16.5	17/	17.5	18/18	5	20		22	REGULAR • </td			
2/33	14/1	+.J	•		•		•	10/1C	o. J	•		•				
1/35	•		٠		•		•	•		•		•	ALL MALE JUMPSUITS			
6/37	•		•		٠		•	٠		•		•	WOMEN'S JUMPSUITS			
	TEK3,	EXPF	RESS, C	CHECK	(POIN	TE, T2	, UV1						4 6 8 10 12 14 16 18 20 22 24 26			
D	MEN	'S SH		SLEEV	/F SH	IRTS										
	14.5	15	15.5		16.5	17	17.5	18	18.5	19	20	22	ALL FEMALE JUMPSUITS			
	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	M BLOUSECOATS			
	TEXTF	rop, e	DUTYN	ΛΑΧΧ,	EXPR	ESS, F	REST	GE, C	HP, LA	.SO, L	APD		36 38 40 42 44 46 48 50 52 54			
Е	ALP		71110										SHORT • • • • • •			
-	XS	<u>1A 51</u>	S	М		1	XI		2XL	3X		4XL	REGULAR • • • • • • • •			
_	13/13	.5 1	4/14.5	15/15	5.5 1	6/16.5	17/1		8/18.5	20		22				
	•		•	•		•	•		•	•		•	ALL BLOUSE COATS			
	PARA	GON	PLUS,	TEK3,	UFX I	POLOS	5, UFX	& BA	SE LA	YERS,	T2, U	V1,	N OUTERWEAR			
	RIPST	OP, W	EST C	OAST	PRES	TIGE,	100%	COTT	ON				XS S M L XL 2XL 3XL			
F	WON		5 SHIF	RTS									30-32 34-36 38-40 42-44 46-48 50-52 54-56 5			
-	30	32	34	_	5 3	8 4	0	42	44	46	48	50	SHORT • • •			
	•	•	•	•	•	,	•	•	•	•	٠	•	REGULAR • </td			
	TEXTR	ROP2.	PARA	GON	PLUS.	DUTY	MAX	X. PRE	STIGE	EXP	RESS.	CHP.				
	T2, W							,		,		,	ALL OUTERWEAR			
G			5 SHIF										1			
				32) 3	4 _ 3	6	38	40	42	44	46	*Non-stock sizes may be available. Contact custor			

*Non-stock sizes may be available. Contact customer service for details.

WINGS

How to Measure using a cloth tape measure

NECK SIZE

Wrap the measuring tape around the neck where a shirt is usually buttoned, snug but not too tight (leave enough room to get one finger under tape)

ARM LENGTH

With the person's hand on their hip, measure from the center of the back neck, across shoulder and over the end of the elbow to the bend of the wrist. Blousecoats: measure from shoulder to the bend of the wrist

CHEST

1" below arm, measure around the chest, snug but not too tight

BUST

Measure under arms and across the shoulder blades at the fullest part of the bust

WAIST

Measure over shirt (not over trouser) at the height you wear your trousers; wrap measuring tape around waistsnug but not too tight (leave enough room to get two fingers under the tape)

HIP

Measure 5" down from waist measurement, around hips

SEAT

Measure snugly at the fullest part of the seat

INSEAM

Measure the insean of an existing trouser that fits you well; measure from inside crotch to inside bottom edge

TORSO CIRCUMFERENCE

Measure from high point on shoulder around back, under crotch and up to starting point on shoulder

Fit Guide V-Series External Vest Carrier

When measuring the user's ballistic carrier, we recommend the following in order to determine the most suitable size option:

• Use a cloth tape measure.

• Keep the ballistic panels inside the carrier when measuring.

• Measure the full amount of both the ballistic panels within the carrier, including the excess fabric bulk created by the panel carrier.

• Wear garments that are well-fitted while having someone take measurements (user should not take own measurements).

While measurements are being taken, be sure user stands up straight and relaxed, so that measurements will reflect his/her natural stance.
Record measurements exactly; do not round.

40

This document is designed to assist in determining suitable size options based on measurements taken of the intended user's current internal vest carrier, as well as key body measurements of the intended user. <u>This process should not replace an actual garment fitting</u>. Upon receipt of the garment, we recommend that it be tried on by the intended user with his/her internal carrier installed to ensure proper fit.



WARNING: Your ballistic panels must remain in your vest manufacturer's approved concealable carrier while being worn with your V-Series vest. This external vest carrier offers no ballistic and/or stab protection.

		HOW TO MEASURE
1	FRONT PANEL WIDTH	Measure the WIDTH of your ballistic panel carrier's FRONT panel at its widest point. (Fig. A)
2	FRONT PANEL HEIGHT	Measure the HEIGHT of your ballistic panel carrier's FRONT panel from the front neckline to its waistline. (Fig. A)
3	BACK PANEL WIDTH	Measure the WIDTH of your ballistic panel carrier's BACK panel at the widest point of the panel. This point should fall between the bottom of the armhole and the waistline of the carrier. (Fig. B)
4	BACK PANEL HEIGHT	Measure the HEIGHT of your ballistic panel carrier's BACK panel from the center back neckline to the waistline. (Fig. B)
5	WAIST (FULLEST POINT OF STOMACH)	Measure around body at waist. Waist is measured over the shirt (not the trousers) at the fullest point of the stomach, or just below the ribs; whichever point is larger. Ensure the tape measure is horizontal and fits snugly around the body, but is not pulled too tight.

Fit Guide V-Series External Vest Carrier

Utilize the intended user's measurements, as determined using the process on page 38, to select the best size based on the charts below, starting with front panel width and moving through the grid to waist measurement.

Note: if user's

measurements fall within more than one size range below, select the largest size that applies prior to moving to the next measurement section. If user measurements do not match those provided, please contact your Elbeco authorized dealer or representative for assistance.

		V1 LENGTH	V1 SIZE - XS	V1 SIZE - S	V1 SIZE - M	V1 SIZE - L	V1 SIZE - XL	V1 SIZE - 2XL	V1 SIZE - 3
		Short	16 ¾	18 ¾	20 ¾				
1 FR	FRONT PANEL WIDTH	Regular	18 ¾	20 ³ ⁄ ₄	22 ³ ⁄ ₄	24 ¾	26 ³ ⁄ ₄	28 ¾	30 ¾
' wi		Long			23 ¾	25 ¾	27 ¾	29 ¾	31 ¾
		X-Long				26 ¾	28 ¾	30 ¾	32 ¾
		Short	10 ¼	11 ¼	12 ¼				
FR	ONT PANEL	Regular	11 ³ ⁄ ₄	12 ¾	13 ¾	14 3/8	15 ¾	15 %	16 1/8
² HE	EIGHT	Long			15 ¼	15 %	16 %	17 ¾	17 %
		X-Long				17 3/8	18 ¾	18 %	19 1/8
	BACK PANEL WIDTH	Short	17 ¼	19 ¼	21 1/4				
ВА		Regular	19 ¼	21 ¼	23 ¼	25 ¼	27 1/4	29 ¼	31 ¼
s wi		Long			24 1/4	26 ¼	28 1/4	30 1/4	32 ¼
		X-Long				27 1/4	29 ¼	31 ¼	33 ¼
	BACK PANEL HEIGHT	Short	15 1⁄8	16 ½	17 1/8				
ВА		Regular	16 %	17 %	18 5⁄8	19 1/8	20 1/8	20 %	20 1/8
* HE		Long			20 1/8	20 5⁄8	20 5/8	22 1/8	22 ¾
		X-Long				22 1/8	23 1/8	23 5%	23 1/8
		Short	29 ½ - 31 ½	31 ½ - 35 ½	35 ½ - 39 ½				
1	WAIST (FULLEST POINT OF STOMACH)	Regular	31 ½ - 35 ½	35 ½ - 39 ½	37 ½ - 43 ½	41 ½ - 47 ½	44 ½ - 51 ½	48 ½ - 55 ½	52 ½ - 59 ½
		Long			39 ½ - 45 ½	43 ½ - 49 ½	46 ½ - 53 ½	50 ½ - 57 ½	54 ½ - 61 ½
		X-Long				45 ½ - 51 ½	48 ½ - 55 ½	52 ½ - 59 ½	56 1/2 - 63 1
		Short	13	13 ½	14 - 14 ½				
	SHIRT SIZE (FOR REFERENCE ONLY)	Regular	13 ½	14 - 14 ½	15	16	17	18	19
		Long			15 ½	16 ½	17 ½	18 ½	19 ½
		X-Long				17	18	19	20

$\sqrt[W2]$ FIT GUIDE BASED ON BALLISTIC CARRIER MEASUREMENTS & ACTUAL BODY MEASUREMENTS (IN INCHES)										
		V2 LENGTH	V2 SIZE - XS	V2 SIZE - S	V2 SIZE - M	V2 SIZE - L	V2 SIZE - XL	V2 SIZE - 2XL	V2 SIZE - 3XL	
		Short	17	19	21			ĺ		
1	FRONT PANEL WIDTH	Regular	19	21	23	25	27	29	31	
Ľ		Long			24	26	28	30	32	
		X-Long				27	29	31	33	
		Short	9.75	10.75	11.75					
2	FRONT PANEL	Regular	11.25	12.25	13.25	13.75	14.75	15.25	15.5	
2	HEIGHT	Long			14.75	15.25	16.25	16.75	17	
		X-Long				16.75	17.75	18.25	18.5	
	BACK PANEL WIDTH	Short	19	21	23					
3		Regular	21	23	25	27	29	31	33	
		Long			26	28	30	32	34	
		X-Long				29	31	33	35	
	BACK PANEL HEIGHT	Short	14.625	15.625	16.625					
4		Regular	16.125	17.125	18.125	18.625	19.625	20.125	20.375	
4		Long			19.625	20.125	21.125	21.625	21.875	
		X-Long				21.625	22.625	23.125	23.375	
		Short	29.5 - 32.5	31.5 - 36.5	35.5 - 40.5					
5	WAIST (FULLEST POINT OF STOMACH)	Regular	31.5 - 36.5	35.5 - 40.5	37.5 - 44.5	41.5 - 48.5	44.5 - 52.5	48.5 - 56.5	52.5 - 60.5	
°		Long			39.5 - 46.5	43.5 - 50.5	46.5 - 54.5	50.5 - 58.5	54.5 - 62.5	
		X-Long				45.5 - 52.5	48.5 - 56.5	52.5 - 60.5	56.5 - 64.5	
		Short	13	13.5	14 - 14.5					
6	SHIRT SIZE (FOR REFERENCE ONLY)	Regular	13.5	14 - 14.5	15	16	17	18	19	
0		Long			15.5	16.5	17.5	18.5	19.5	
		X-Long				17	18	19	20	

WARNING: Your ballistic panels must remain in your vest manufacturer's approved concealable carrier while being worn with your V-Series vest. This external vest carrier offers no ballistic and/or stab protection.

Ladies Choice

The first uniform designed by women for women!

THE LADIES CHOICE SHIRT DESIGN FEATURES:

- Graded chest and waist dimension for flattering fit and increased movement
- Expanded chest and waist dimension for increased movement
- Armhole and sleeve shaped for more comfortable fit and appearance
- Graded body length for less bulk
- Increased hip sweep to fit a woman's body shape

THE LADIES CHOICE TROUSER DESIGN FEATURES:

- Side elastic for personal fit
- Curve at hip complements a woman's shape
- Reshaped seat for more comfortable movement
- Shortened front rise eliminates baggy appearance
- Straight leg for a more flattering look while providing functional movement
- Contoured waistband sits at natural waist for improved comfort
- Pocket depth accommodates a woman's reach



Men's Essential Fit

THE ESSENTIAL FIT TROUSER DESIGN FEATURES:

- Covert waistband for personal fit
- Lower rise with slight slope in front wide leg
- More contemporary fit
- Increased range of motion

